

AD-A059 649

ARMY ENVIRONMENTAL HYGIENE AGENCY ABERDEEN PROVING GR--ETC F/G 6/20
TOPICAL HAZARD EVALUATION PROGRAM OF CANDIDATE INSECT REPELLENT--ETC(U)
MAR 78 M H WEEKS, B J DESENA
USAEHA-51-0061-78

UNCLASSIFIED

NL

1 OF 1
AD
A059649



END
DATE
FILMED
12-78
DOC

LEVEL


12



**UNITED STATES ARMY
ENVIRONMENTAL HYGIENE
AGENCY**

ABERDEEN PROVING GROUND, MD 21010

TOPICAL HAZARD EVALUATION PROGRAM
OF CANDIDATE INSECT REPELLENT AI3-37029-a
US DEPARTMENT OF AGRICULTURE PROPRIETARY COMPOUND
STUDY NO. 51-0061-78
NOVEMBER 1977 - MARCH 1978



AD A059649

**A
E
H
A**

DDC FILE COPY

Approved for public release; distribution unlimited.

78 10 10 145

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

| REPORT DOCUMENTATION PAGE | | READ INSTRUCTIONS BEFORE COMPLETING FORM |
|---|-----------------------|---|
| 1. REPORT NUMBER 51-0061-78 | 2. GOVT ACCESSION NO. | 3. RECIPIENT'S CATALOG NUMBER <i>Rept.</i> |
| 4. TITLE (and Subtitle) Topical Hazard Evaluation Program of Candidate Insect Repellent AI3-37029-a, US Department of Agriculture Proprietary Compound | | 5. TYPE OF REPORT & PERIOD COVERED Final, Nov 77 - Mar 78 |
| 7. AUTHOR(s) MAURICE H. WEEKS BRENDA J. DeSENA | | 6. PERFORMING ORG. REPORT NUMBER 51-0061-78 |
| 9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Environmental Hygiene Agency Aberdeen Proving Ground, MD 21010 | | 8. CONTRACT OR GRANT NUMBER(s) |
| 11. CONTROLLING OFFICE NAME AND ADDRESS Commander US Army Health Services Command Fort Sam Houston, TX 78234 | | 10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS <i>Mar 78</i> |
| 14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) <i>(12) 10p.</i> | | 12. REPORT DATE Nov 77 - Mar 78 |
| | | 13. NUMBER OF PAGES 7 |
| | | 15. SECURITY CLASS. (of this report) Unclassified |
| | | 15a. DECLASSIFICATION/DOWNGRADING SCHEDULE |
| 16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited. | | |
| 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) | | |
| 18. SUPPLEMENTARY NOTES | | |
| 19. KEY WORDS (Continue on reverse side if necessary and identify by block number) USDA Proprietary Compound skin irritation AI3-37029-a eye irritation Topical Hazard Evaluation candidate repellent | | |
| 20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A preliminary hazard evaluation of AI3-37029-a was performed by means of laboratory animal studies using rats, rabbits and guinea pigs. The technical grade compound has the potential to cause mild injury to the cornea, and some damage to the conjunctiva. However, it did not demonstrate potential for causing skin or photochemical irritation or sensitize guinea pigs, or demonstrate an acute ingestion hazard. It was recommended that AI3-37029-a be approved for further testing as a candidate insect repellent. | | |

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

038150

JB



HSE-LT-T/WP

DEPARTMENT OF THE ARMY
U. S. ARMY ENVIRONMENTAL HYGIENE AGENCY
ABERDEEN PROVING GROUND, MARYLAND 21010

TOPICAL HAZARD EVALUATION PROGRAM
OF CANDIDATE INSECT REPELLENT AI3-37029-a
US DEPARTMENT OF AGRICULTURE PROPRIETARY COMPOUND
STUDY NO. 51-0061-78
NOVEMBER 1977 - MARCH 1978

1. AUTHORITY.

a. Letter, US Department of Agriculture - Agricultural Research Service, Southern Region, Insects Affecting Man - Research Laboratory, Gainesville, Florida, 4 November 1977.

b. Memorandum of Understanding between the Department of the Army, Office of The Surgeon General; the US Army Health Services Command; the US Army Environmental Hygiene Agency; the Armed Forces Pest Control Board; and the US Department of Agriculture; effective 1970 with Amendment No. 1, effective August 1974.

2. REFERENCE. Toxicology Division Procedural Guide, US Army Environmental Hygiene Agency (USAEHA), 1972, revised 1976.

3. PURPOSE. The purpose of this program is to provide guidance for further entomological testing of the candidate insect repellent AI3-37029-a.

4. SUMMARY OF FINDINGS. A hazard evaluation of the candidate insect repellent AI3-37029-a, US Department of Agriculture (USDA) Proprietary Compound, was conducted by this Agency using New Zealand White rabbits for skin and eye studies, Hartley guinea pigs for a skin sensitization study and Sprague-Dawley rats for determination of oral toxicity. A tabular presentation of animal toxicity data developed in this Agency follows.*†

* In conducting the studies described in this report, the investigators adhered to the "Guide for the Care and Use of Laboratory Animals," US Department of Health, Education and Welfare Publication No. (NIH) 74-23, revised 1972 - second printing 1974.

† The experiments reported herein were performed in animal facilities fully accredited by the American Association for Accreditation of Laboratory Animal Care.

Approved for public release; distribution unlimited

Study No. 51-0061-78, Nov 77 - Mar 78

| Test | Results | Interpretation |
|------|---------|----------------|
|------|---------|----------------|

SKIN IRRITATION STUDIES

Rabbits

Single 24-hour application to intact or abraded skin of New Zealand White rabbits.

Compound AI3-37029-a produced no primary irritation of the intact skin and of the skin surrounding an abrasion.

USAEHA Category I (ref Appendix).

0.5 ml technical grade compound applied to each of six rabbits.

EYE IRRITATION STUDIES

Rabbits

Single 24-hour application of 0.1 ml technical grade compound to one eye of each of six New Zealand White rabbits.

Compound AI3-37029-a caused mild injury to the cornea and, in addition, some injury to the conjunctiva in six out of six rabbits.

USAEHA Category C (ref Appendix).

APPROXIMATE LETHAL DOSE (ALD)

Oral

Rats (male) - no diluent

ALD >3300 mg/kg

Presents little lethal hazard from acute accidental ingestion.

Study No. 51-0061-78, Nov 77 - Mar 78

| Test | Results | Interpretation |
|------|---------|----------------|
|------|---------|----------------|

PHOTOCHEMICAL SKIN IRRITATION STUDIES

Rabbits

A single application (0.05 ml) of a 25 percent (w/v) solution of the compound (AI3-37029-a) and of a 10 percent (w/v) oil of Bergamot solution (positive control) in 95 percent ethyl alcohol, were applied to the intact skin of six rabbits. Five minutes after application, the rabbits were exposed to UV light (365 nm) for 30 minutes at a distance of 10-15 cm.

A 25 percent solution of AI3-37029-a in ethanol did not cause a photochemical irritation reaction under test conditions. Ethanol solutions of AI3-37029-a caused moderate irritation at both UV- and non-UV skin sites.

Positive control application and irradiation caused greater irritant effects than in unirradiated skin areas.

Compound AI3-37029-a did not cause a photochemical irritation reaction under test conditions and is not expected to cause a photochemical irritation in humans.

Ethanol solutions of AI3-37029-a may cause skin irritation in some sensitive individuals. Personnel experiencing this reaction should wash off the solution as soon as possible.

Control

Following UV exposures of the rabbits, 0.05 ml of test compound, positive control and diluent were applied to additional skin areas to serve as unirradiated control sites. Application areas were checked for skin irritation reactions at 24, 48 and 72 hours.

Study No. 51-0061-78, Nov 77 - Mar 78


| Test | Results | Interpretation |
|---|--|---|
| <u>SENSITIZATION STUDIES</u> | | |
| <u>Guinea Pigs (Male)</u> | | |
| Intradermal injections of 0.1 ml of a 0.1 percent suspension (w/v) of AI3-37029-a or of dinitrochlorobenzene (DNCB)* in a mixture containing 1 volume of propylene glycol and 29 volumes of saline. | | |
| Ten test guinea pigs received and challenged with a 0.1 percent solution of AI3-37029-a. | Challenge dose of test compound (last intradermal injection) did not produce a sensitization reaction. | Compound AI3-37029-a did not produce a sensitization reaction under these test conditions and is not expected to produce a sensitization reaction in man. |
| Ten positive control guinea pigs received and challenged with 0.1 percent suspension of DNCB. | Positive Control (DNCB) produced a marked sensitization reaction in 10 out of 10 guinea pigs. | |

* A known skin sensitizer.

Study No. 51-0061-78, Nov 77 - Mar 78


5. CONCLUSION. The technical grade compound AI3-37029-a, showed a potential for causing mild eye irritation, some skin irritation from ethanol solutions, but presents no other irritation reactions from skin, photochemical, or sensitization testing and does not present an acute ingestion hazard.

6. RECOMMENDATIONS. Under the provisions of the Memorandum of Understanding (paragraph 1b), it is recommended that AI3-37029-a, USDA Proprietary Compound, be approved for further testing as a candidate insect repellent. Ethanol solutions of this compound may cause skin irritation in sensitive individuals and if experienced, the site should be washed with copious amounts of water.



MAURICE H. WEEKS

Chief, Toxicity Evaluation Branch
Toxicology Division




BRENDA J. DeSENA

SP4

Veterinary Specialist
Toxicology Division

APPROVED:



ARTHUR H. MCCREESH, Ph.D.
Chief, Toxicology Division

Study No. 51-0061-78, Nov 77 - Mar 78

APPENDIX

TOPICAL HAZARD EVALUATION PROGRAM DEFINITIONS OF CATEGORIES OF COMPOUNDS BEING CONSIDERED FOR ACUTE SKIN APPLICATION

CATEGORY I - Compounds producing no primary irritation of the intact skin or no greater than mild primary irritation of the skin surrounding an abrasion. (INTERPRETATION: No restriction for acute application to the human skin.)

CATEGORY II - Compounds producing mild primary irritation of the intact skin and the skin surrounding an abrasion. (INTERPRETATION: Should be used only on human skin found by examination to have no abrasions or may be used as a clothing impregnant.)

CATEGORY III - Compounds producing moderate primary irritation of the intact skin and the skin surrounding an abrasion. (INTERPRETATION: Should not be used directly on the skin without a prophetic patch test having been conducted on humans to determine irritation potential to human skin. May be used without patch testing, with extreme caution, as clothing impregnants. Compound should be resubmitted in the form and at the intended use concentration so that its irritation potential can be reexamined using other test techniques on animals.)

CATEGORY IV - Compounds producing moderate to severe primary irritation of the intact skin and of the skin surrounding an abrasion and, in addition, producing necrosis, vesiculation and/or eschars. (INTERPRETATION: Should be resubmitted for testing in the form and at the intended use concentration. Upon resubmission, its irritation potential will be reexamined using other test techniques on animals. prior to possible prophetic patch testing in humans, at concentrations which have been shown not to produce primary irritation in animals.)

CATEGORY V - Compounds impossible to classify because of staining of the skin or other masking effects owing to physical properties of the compound. (INTERPRETATION: Not suitable for use on humans.)

EYE CATEGORIES:

A. Compounds noninjurious to the eye. INTERPRETATION: Irritation of human eyes is not expected if the compound should accidentally get into the eyes, provided it is washed out as soon as possible.

B. Compounds producing mild injury to the cornea. INTERPRETATION: Should be used with caution around the eyes.

C. Compounds producing mild injury to the cornea, and in addition some injury to the conjunctiva. INTERPRETATION: Should be used with caution around the eyes and mucosa.

Study No. 51-0061-78, Nov 77 - Mar 78

D. Compounds producing moderate injury to the cornea. INTERPRETATION: Should be used with extreme caution around the eyes.

E. Compounds producing moderate injury to the cornea, and in addition producing some injury to the conjunctiva. INTERPRETATION: Should be used with extreme caution around the eyes and mucosa.

F. Compounds producing severe injury to the cornea and to the conjunctiva. INTERPRETATION: Should be used with extreme caution. It is recommended that use be restricted to areas other than the face.